

1. **4 in 1 Gas Driven Generator (14HP Kohler engine)**

The Volt 4 in 1 is a gas driven generator powered by a top brand Kohler 14hp engine. The 4 in 1 generator means this machine can offer you a 200 amp DC Welder, 5 gallon Air Compressor and LED Power Tower/Telescope Light with Electric Start Remote Control.

FEATURES:

Kohler CH440

Gasoline Engine

Circuit Breaker Protection

Electric Start / Recoil Start

Welder

5 Gallon Air Compressor

Low Oil Shutdown

SPECIFICATIONS:

(Generator/Engine)

Maximum Output – 5000 Continuous, 5500 Surge Watts

Total Amperage – 23 AMPS

Single Phase – 60Hz

Engine HP – 14Hp

RPM – 3600 +/- 150

Receptacles – (1)120v (1)240v (1)12vdc

Noise Level – 74 dB @ 10'

Fuel Capacity – 7.9 Gallons

Single Phase – 60Hz

Oil Capacity – 44OZ (1.4 U.S qt)

Oil Weight– 10w-30

Size– L-35", W-24", H-32"

Net Weight – 405 Lbs.

Approximate Run Time -13 Hours at 50% Load

(Welder)

No Load Voltage – DC 75V

Welding Rod – 1.6-5.0mm

Rated Current/Voltage – 180A / 27.2v

Air Compressor:

Tank Capacity – 5.2 Gallons

Stage – Single

Rate Of Flow – 26gpm

Pressure Range – 87-116psi

(Air Compressor)

Tank Capacity – 5.2 Gallons

Stage – Single

Rate Of Flow – 26gpm

Pressure Range – 87-116psi

(Lighting Tower)

Lighting Lamp – LED/ 4x100W

Luminous Flux – 80-100lm/W

2. Volt/Kohler 5500 Clean Energy Electric Start Generator

The Volt 5500ES is a gas driven generator powered by a top brand Kohler 9.5hp engine. The single phase revolving field, alternating current (AC) generator designed to supply electrical power for compatible electrical tools, motors, appliances, and lighting. The 5500ES operates at 120-volt and/or 240-volt, single phase, 60 Hz and will operate devices that require up to 5000 watts continuous and 5500 watts surge.

FEATURES:

Kohler CH395

Gasoline Engine

Circuit Breaker Protection

Electric Start / Recoil Start

Steel Sleeve Cylinder

Copper Windings

Low Oil Shutdown

SPECIFICATIONS:

AC Output – 5000 Continuous, 5500Surge Watts

Max Amperage – 23 AMPS

Receptacles – (2)5-20 / (1) L14-30 / (1) DC 12v

DC Output – 12v/8a

Single Phase – 60Hz

Engine HP – 9.5

RPM – 4000 +/- 150

Noise Level – 74 dB @ 10'

Fuel Capacity – 7.4 Gallons

Oil Capacity – 44oz. (1.4 US qt)

Oil Weight – 10w-30

Size– L-28", W-21", H-24"

Net Weight – 150 Lbs.

Approximate Run Time – 12 Hours at 50% Load

3. Twin Tank Kohler Powered Air Compressor

AC2T air compressors are state of the art. The dual tank design enhances the ease of operation and allows the unit to be moved easily, unlike bulky upright single tank units.

This model is extremely versatile and can be adapted to all your needs from pneumatic tools to inflation requirements. The AC2T Air Compressors is designed to provide a source of compressed air for various devices that require it for their operation. This air compressor has a cast iron pump and is equipped with an air governor for automatic idle down when the tanks reach a preset pressure.

FEATURES:

Kohler CH270

Gasoline Engine

Pressure Regulated Tank

Low Oil Shutdown

8 Gallon Twin Tank

SPECIFICATIONS:

CFM – 12 @ 100 PSI

Engine HP – 7.0Hp

CC's – 208cc

RPM – 3850 +/- 150

Oil Capacity – 20oz (0.6 US qt)

Oil Weight – 10w-30

Start Type – Manual Start

Fuel Capacity – 1 Gallon

Fuel Type – 86+ Octane Gasoline

Shutdown – Toggle Switch/ Low Oil Shutdown

Size L-44", W-19.5", H-25"

Net Weight 160 Lbs

4. Volt/Kohler powered 3000psi Commercial Pressure Washer

The Pro Power series pressure washer (Model-VK3000P) is a gasoline operated device converting water into an extremely high-pressure water outlet. The unit is portable and mobile. The gasoline engine makes it possible to use the unit in remote areas that are void of electrical power if needed. Soaps or cleaning solvents can be mixed into the pressurized stream to make the cleaning even more powerful.

FEATURES:

Kohler CH270

Gasoline Engine

Suction Side Soap Pickup

Rugged Aluminum Construction

Low Oil Shutdown

Quick Connect for Nozzles

SPECIFICATIONS:

PSI – 3000

GPM – 2.5

Engine HP – 7.0Hp

CC's – 208cc
RPM – 3850 +/- 150
Oil Capacity – 20oz (0.6 US qt)
Oil Weight – 10w-30
Start Type – Manual Start
Fuel Capacity – 1 Gallon
Fuel Type – 86+ Octane Gasoline
Shutdown – Toggle Switch/ Low Oil Shutdown
Size – L-36", W-21", H-25"
Net Weight – 79 Lbs.

5. Kohler 3" Trash Pump

The Pro Power series trash pump is one-of-a-kind. Designed for the most demanding applications, this trash pump gets the job done every time. Whether you're pumping water from a flooded basement or draining a remote pond, the super mobile trash pump allows you to perform the job single-handedly. The trash pump is so powerful it can pump 264 gallons per minute, allowing you to get the job done quickly. This pump is designed to handle nonvolatile, non-flammable liquids containing specified entrained solids and non-corrosive liquids.

FEATURES:

Kohler CH270
Gasoline Engine
Rugged Construction
Cast Iron Impeller
Aluminum Pump Housing
Fast Priming
Low Oil Shutdown

SPECIFICATIONS:

Impeller – Keyed/Cast Iron
Gallons Per Minute – 264 Gpm
Engine HP – 7.0Hp
CC's – 208cc
RPM – 3850 +/- 150
Oil Capacity – 20oz (0.6 US qt)
Oil Weight – 10w-30
Start Type – Manual Start
Fuel Capacity – 1 Gallon
Fuel Type – 86+ Octane Gasoline
Shutdown – Toggle Switch/ Low Oil Shutdown
Size – L-36", W-21.5", H-25"
Net Weight – 84 Lbs.

